

**Bactosol Beerline Disinfectant Cleaner**

Revision: 2024-08-06

Version: 02.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** Bactosol Beerline Disinfectant Cleaner

UFI: 781H-H11P-V00G-2Q2K

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

<b>Product use:</b>	Cleaning in place chemical. Surface disinfectant. for general surface disinfection For professional use only.
<b>Uses advised against:</b>	Uses other than those identified are not recommended.

**SWED - Sector-specific worker exposure description :**

AISE\_SWED\_PW\_1\_1  
AISE\_SWED\_PW\_1\_1

**1.3 Details of the supplier of the safety data sheet**

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

**Contact details**

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@solenis.com

**1.4 Emergency telephone number**

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

EUH031  
Skin corrosion, Category 1A (H314)  
Serious eye damage, Category 1 (H318)  
Acute aquatic toxicity, Category 1 (H400)  
Chronic aquatic toxicity, Category 2 (H411)  
Corrosive to metals, Category 1 (H290)

**2.2 Label elements**



**Signal word:** Danger.

Contains sodium hypochlorite (active chlorine) (Sodium Hypochlorite), sodium hydroxide (Sodium Hydroxide)

**Hazard statements:**

EUH031 - Contact with acids liberates toxic gas.  
H314 - Causes severe skin burns and eye damage.  
H410 - Very toxic to aquatic life with long lasting effects.  
H290 - May be corrosive to metals.

**Precautionary statements:**

P260 - Do not breathe vapours.  
P280 - Wear protective gloves, protective clothing and eye or face protection.

**Bactosol Beerline Disinfectant Cleaner**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

**2.3 Other hazards**

No other hazards known.

Reportable poison - Control of Poisons and Explosives Precursors Regulations 2015

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hypochlorite (active chlorine)	231-668-3	7681-52-9	[6]	EUH031 Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) Corrosive to metals, Category 1 (H290)		3-10
sodium hydroxide	215-185-5	1310-73-2	01-211945789 2-27	Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290)		3-10

**Specific concentration limits**

sodium hypochlorite (active chlorine):

- Corrosive to metals, Category 1 (H290) >= 5%

- EUH031 >= 5%

sodium hydroxide:

- Corrosive to metals, Category 1 (H290) >= 0.5%

- Serious eye damage, Category 1 (H318) >= 3% > Eye irritation, Category 2 (H319) >= 0.5%

- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

May cause bronchospasm in chlorine sensitive individuals.

**Skin contact:**

Causes severe burns.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**Bactosol Beerline Disinfectant Cleaner****5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. In case of an incident in a confined area wear suitable respiratory protection. Wear suitable protective clothing. Wear suitable gloves. Wear eye/face protection.

**6.2 Environmental precautions**

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

**6.3 Methods and material for containment and cleaning up**

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 200

Comah - Upper Tier requirements (tonnes): 500

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

**Additional exposure limits under the conditions of use, if available:**

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite (active chlorine)	-	-	-	0.26
sodium hydroxide	-	-	-	-

## Bactosol Beerline Disinfectant Cleaner

## DNEL/DMEL dermal exposure - Worker

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
sodium hydroxide	2 %	-	-	-

## DNEL/DMEL dermal exposure - Consumer

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
sodium hydroxide	-	-	1	-

## Environmental exposure

## Environmental exposure - PNEC

<b>Ingredient(s)</b>	<b>Surface water, fresh (mg/l)</b>	<b>Surface water, marine (mg/l)</b>	<b>Intermittent (mg/l)</b>	<b>Sewage treatment plant (mg/l)</b>
sodium hypochlorite (active chlorine)	0.00021	0.00042	0.00026	0.03
sodium hydroxide	-	-	-	-

## Environmental exposure - PNEC, continued

<b>Ingredient(s)</b>	<b>Sediment, freshwater (mg/kg)</b>	<b>Sediment, marine (mg/kg)</b>	<b>Soil (mg/kg)</b>	<b>Air (mg/m<sup>3</sup>)</b>
sodium hypochlorite (active chlorine)	-	-	-	-
sodium hydroxide	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	<b>SWED - Sector-specific worker exposure description</b>	<b>LCS</b>	<b>PROC</b>	<b>Duration (min)</b>	<b>ERC</b>
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	60	ERC8a

## Personal protective equipment

## Eye / face protection:

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

## Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

## Body protection:

No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

## Bactosol Beerline Disinfectant Cleaner

**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 3

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Liquid	
<b>Colour:</b> Clear , Pale , from Yellow to Green	
<b>Odour:</b> Chlorine	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hypochlorite (active chlorine)	Product decomposes before boiling	Method not given	1013
sodium hydroxide	> 990	Method not given	

	Method / remark
<b>Flammability (solid, gas):</b> Not applicable to liquids	
<b>Flammability (liquid):</b> Not flammable.	
<b>Flash point (°C):</b> > 100 °C	closed cup
<b>Sustained combustion:</b> The product does not sustain combustion ( UN Manual of Tests and Criteria, section 32, L.2 )	Weight of evidence
<b>Lower and upper explosion limit/flammability limit (%):</b> Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
sodium hypochlorite (active chlorine)	-	-

	Method / remark
<b>Autoignition temperature:</b> Not determined	
<b>Decomposition temperature:</b> Not applicable.	
<b>pH:</b> > 11 (neat)	ISO 4316
<b>Dilution pH:</b> > 11 (3 %)	ISO 4316
<b>Kinematic viscosity:</b> ≈ 3 mPa.s (20 °C)	
<b>Solubility in / Miscibility with water:</b> Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hypochlorite (active chlorine)	Soluble		
sodium hydroxide	1000	Method not given	20

## Bactosol Beerline Disinfectant Cleaner

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Vapour pressure:** Not determined

**Method / remark**

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hypochlorite (active chlorine)	Negligible		
sodium hydroxide	< 1330	Method not given	20

**Relative density:**  $\approx 1.19$  (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** No data available.

**Method / remark**

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Corrosive

**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

May be corrosive to metals. Reacts with acids. Reacts with acids releasing toxic chlorine gas.

**10.6 Hazardous decomposition products**

Chlorine.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium hypochlorite (active chlorine)	LD <sub>50</sub>	1100	Rat	OECD 401 (EU B.1)	90	Not established
sodium hydroxide		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
---------------	----------	---------------	---------	--------	-------------------	--------------------

## Bactosol Beerline Disinfectant Cleaner

sodium hypochlorite (active chlorine)	LD <sub>50</sub>	> 20000	Rabbit	OECD 402 (EU B.3)		Not established
sodium hydroxide	LD <sub>50</sub>	1350	Rabbit	Method not given		Not established

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LC <sub>50</sub>	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
sodium hydroxide		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hypochlorite (active chlorine)	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Irritating to respiratory tract			
sodium hydroxide	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium hydroxide	Not sensitising		Human repeated patch test	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Not sensitising			
sodium hydroxide	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hypochlorite (active chlorine)	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

## Carcinogenicity

Ingredient(s)	Effect
sodium hypochlorite (active chlorine)	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite (active chlorine)	NOAEL	Developmental toxicity Impaired fertility	5 (Cl)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity

## Bactosol Beerline Disinfectant Cleaner

sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
------------------	--	--	-------------------	--	--	--	---

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)	NOAEL	50	Rat	OECD 408 (EU B.26)	90	
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite (active chlorine)			No data available					
sodium hydroxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
sodium hydroxide	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**No data is available on the mixture.Substance data, where relevant and available, are listed below:**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------



## Bactosol Beerline Disinfectant Cleaner

		(mg/l)			time (h)
sodium hypochlorite (active chlorine)	LC <sub>50</sub>	0.06	<i>Oncorhynchus mykiss</i>	Method not given	96
sodium hydroxide	LC <sub>50</sub>	35	<i>Various species</i>	Method not given	96

## Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	EC <sub>50</sub>	0.035	<i>Ceriodaphnia dubia</i>	OECD 202 (EU C.2)	48
sodium hydroxide	EC <sub>50</sub>	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	NOEC	0.0021	<i>Not specified</i>	Method not given	168
sodium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hypochlorite (active chlorine)	EC <sub>50</sub>	0.026	<i>Crassostrea virginica</i>	Method not given	2
sodium hydroxide		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hypochlorite (active chlorine)		0.375	<i>Activated sludge</i>	Method not given	
sodium hydroxide		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.04	<i>Menidia pelinsulae</i>	Method not given	96 hour(s)	
sodium hydroxide		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.007	<i>Crassostrea virginica</i>	Method not given	15 day(s)	
sodium hydroxide		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

## Terrestrial toxicity - plants, if available:

## Bactosol Beerline Disinfectant Cleaner

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	115 day(s)	Indirect photo-oxidation		
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available			
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)		No data available			
sodium hydroxide		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium hypochlorite (active chlorine)					Not applicable (inorganic substance)
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available
sodium hydroxide					No data available

## Bactosol Beerline Disinfectant Cleaner

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	-3.42	Method not given	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available				
sodium hydroxide	No data available				

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hypochlorite (active chlorine)	1.12				High potential for mobility in soil
sodium hydroxide	No data available				Mobile in soil

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

## 12.7 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 15\* - alkalines.

European Waste Catalogue:

Empty packaging

Recommendation:

Suitable cleaning agents:

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

## SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1719

14.2 UN proper shipping name:

Caustic alkali liquid, n.o.s. ( sodium hydroxide , sodium hypochlorite )

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

**Bactosol Beerline Disinfectant Cleaner****Classification code:** C5**Tunnel restriction code:** (E)**Hazard identification number:** 80**IMO/IMDG****EmS:** F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code
- Control of Poisons and Explosives Precursors Regulations 2015

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to Detergents Regulation**

chlorine-based bleaching agents	5 - 15 %
phosphonates, polycarboxylates	< 5 %

**Comah - classification:** 41. Mixtures of sodium hypochlorite classified as Aquatic Acute Category 1 [H400] containing less than 5 % active chlorine and not classified under any of the other hazard categories in Part 1 of Annex I

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1005258**Version:** 02.0**Revision:** 2024-08-06**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 1, Name change

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.

- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

**End of Safety Data Sheet**