



Good Sense Vert Conc

Revision: 2019-07-23

Version: 06.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Good Sense Vert Conc

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P301 - General purpose cleaner. Manual process

AISE-P302 - General purpose cleaner. Spray and wipe manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

Aquatic Chronic 3 (H412)

2.2 Label elements



Signal word: Warning.

Contains 2,4-dimethylcyclohex-3-ene-1-carbaldehyde (2,4-Dimethyl-3-Cyclohexene Carboxaldehyde), alpha-hexylcinnamaldehyde (Hexyl Cinnamal)

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

H412 - Harmful to aquatic life with long lasting effects.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		10-20

Good Sense Vert Conc

sulphonic acids, C14-17-sec-alkane, sodium salts	307-055-2	97489-15-1	01-2119489924-20	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	3-10
2-tert-butylcyclohexyl acetate	201-828-7	88-41-5	01-2119970713-33	Aquatic Chronic 2 (H411)	3-10
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	268-264-1	68039-49-6	01-2119982384-28	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) Aquatic Chronic 3 (H412)	0.1-1
alpha-hexylcinnamaldehyde	202-983-3	101-86-0	01-2119533092-50	Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	0.1-1
allyl heptanoate	205-527-1	142-19-8	01-2119488961-23	Acute Tox. 3 (H331) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	0.1-1
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	< 0.01

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

Causes severe irritation.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	7.1
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available
alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	5
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available
alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	3.57
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available

Good Sense Vert Conc

alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	No data available
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	35
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available
alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	-	-
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	12.4
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available
alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
sulphonic acids, C14-17-sec-alkane, sodium salts	0.04	0.004	0.06	600
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available
alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol ethoxylate	-	-	-	-
sulphonic acids, C14-17-sec-alkane, sodium salts	9.4	0.94	9.4	0.06
2-tert-butylcyclohexyl acetate	No data available	No data available	No data available	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available	No data available	No data available	No data available
alpha-hexylcinnamaldehyde	No data available	No data available	No data available	No data available
allyl heptanoate	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Good Sense Vert Conc

Recommended maximum concentration (%): 1.3

Appropriate engineering controls: Provide a good standard of general ventilation.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical State: Liquid	
Colour: Clear, Green	
Odour: Perfumed	
Odour threshold: Not applicable	
pH ≈ 8 (neat)	ISO 4316
Dilution pH: ≈ 7	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 200	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	> 100	Method not given	
2-tert-butylcyclohexyl acetate	No data available		
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available		
alpha-hexylcinnamaldehyde	No data available		
allyl heptanoate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Flammability (liquid): Not flammable.
Flash point (°C): > 60 °C
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not relevant for classification of this product.
Flammability (solid, gas): Not applicable to liquids
Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
sulphonic acids, C14-17-sec-alkane, sodium salts	3000	Method not given	25
2-tert-butylcyclohexyl acetate	No data available		
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available		
alpha-hexylcinnamaldehyde	No data available		
allyl heptanoate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Vapour density: Not determined
Relative density: ≈ 1.01 (20 °C)
Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
---------------	-------------	--------	------------------

Method / remark

Weight of evidence

Method / remark

See substance data

Method / remark

Not relevant to classification of this product
 OECD 109 (EU A.3)

Good Sense Vert Conc

alkyl alcohol ethoxylate	Soluble	Method not given	20
sulphonic acids, C14-17-sec-alkane, sodium salts	500	Method not given	25
2-tert-butylcyclohexyl acetate	No data available		
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available		
alpha-hexylcinnamaldehyde	No data available		
allyl heptanoate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

OECD 115
 Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Inhalatory, vapours (mg/l): 750

Eye irritation and corrosivity

Result: Eye irritant 2

Method: Weight of evidence

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	> 300-2000	Rat	OECD 423 (EU B.1 tris)	
sulphonic acids, C14-17-sec-alkane, sodium salts	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1) Read across	
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		3100			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat		

Good Sense Vert Conc

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rabbit	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	LD ₅₀	> 2000	Mouse	Weight of evidence	
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4) Read across	
2-tert-butylcyclohexyl acetate	No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available			
alpha-hexylcinnamaldehyde	No data available			
allyl heptanoate	No data available			
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	Severe damage		OECD 405 (EU B.5)	
2-tert-butylcyclohexyl acetate	No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available			
alpha-hexylcinnamaldehyde	No data available			
allyl heptanoate	No data available			
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
2-tert-butylcyclohexyl acetate	No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available			
alpha-hexylcinnamaldehyde	No data available			
allyl heptanoate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT Read across	
2-tert-butylcyclohexyl acetate	No data available			

Good Sense Vert Conc

2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available			
alpha-hexylcinnamaldehyde	No data available			
allyl heptanoate	No data available			
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
2-tert-butylcyclohexyl acetate	No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available			
alpha-hexylcinnamaldehyde	No data available			
allyl heptanoate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	Method not given
2-tert-butylcyclohexyl acetate	No data available		No data available	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available		No data available	
alpha-hexylcinnamaldehyde	No data available		No data available	
allyl heptanoate	No data available		No data available	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for carcinogenicity, negative test results
2-tert-butylcyclohexyl acetate	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available
alpha-hexylcinnamaldehyde	No data available
allyl heptanoate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
sulphonic acids, C14-17-sec-alkane, sodium salts			No data available				No evidence for reproductive toxicity
2-tert-butylcyclohexyl acetate			No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde			No data available				
alpha-hexylcinnamaldehyde			No data available				
allyl heptanoate			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOAEL	200	Rat	Method not given		
2-tert-butylcyclohexyl acetate		No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available				
alpha-hexylcinnamaldehyde		No data available				
allyl heptanoate		No data available				
1,2-benzisothiazol-3(2H)-one		No data				

Good Sense Vert Conc

		available				
--	--	-----------	--	--	--	--

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
2-tert-butylcyclohexyl acetate		No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available				
alpha-hexylcinnamaldehyde		No data available				
allyl heptanoate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
2-tert-butylcyclohexyl acetate		No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available				
alpha-hexylcinnamaldehyde		No data available				
allyl heptanoate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
sulphonic acids, C14-17-sec-alkane, sodium salts	Oral	NOAEL	> 4000	Rat	Method not given			
2-tert-butylcyclohexyl acetate			No data available					
2,4-dimethylcyclohex-3-ene-1-carbaldehyde			No data available					
alpha-hexylcinnamaldehyde			No data available					
allyl heptanoate			No data available					
1,2-benzisothiazol-3(2H)-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
2-tert-butylcyclohexyl acetate	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available
alpha-hexylcinnamaldehyde	No data available
allyl heptanoate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
2-tert-butylcyclohexyl acetate	No data available
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available
alpha-hexylcinnamaldehyde	No data available
allyl heptanoate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Good Sense Vert Conc

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sulphonic acids, C14-17-sec-alkane, sodium salts	LC ₅₀	1 - 10	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one	LC ₅₀	2.18	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48
sulphonic acids, C14-17-sec-alkane, sodium salts	EC ₅₀	9.81	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one	EC ₅₀	2.94	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
sulphonic acids, C14-17-sec-alkane, sodium salts	EC ₅₀	> 61	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one	E _r C ₅₀	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			-
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			

Good Sense Vert Conc

		available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₁₀	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	600	<i>Pseudomonas putida</i>	DIN 38412 / Part 8	16 hour(s)
2-tert-butylcyclohexyl acetate		No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available			
alpha-hexylcinnamaldehyde		No data available			
allyl heptanoate		No data available			
1,2-benzisothiazol-3(2H)-one	EC ₂₀	3.3	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
2-tert-butylcyclohexyl acetate		No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available				
alpha-hexylcinnamaldehyde		No data available				
allyl heptanoate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
2-tert-butylcyclohexyl acetate		No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available				
alpha-hexylcinnamaldehyde		No data available				
allyl heptanoate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	
2-tert-butylcyclohexyl acetate		No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde		No data available				
alpha-hexylcinnamaldehyde		No data available				
allyl heptanoate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity

Good Sense Vert Conc

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>		-	
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	470	<i>Eisenia fetida</i>	OECD 222	56	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208	-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sulphonic acids, C14-17-sec-alkane, sodium salts		Oxygen depletion	78 % in 28 day(s)	OECD 301E	Readily biodegradable
2-tert-butylcyclohexyl acetate				Method not given	Not readily biodegradable.
2,4-dimethylcyclohex-3-ene-1-carbaldehyde					Not readily biodegradable.
alpha-hexylcinnamaldehyde					Not readily biodegradable.
allyl heptanoate	Activated sludge, aerobe		40%	OECD 301D	Not readily biodegradable.
1,2-benzisothiazol-3(2H)-one				Weight of evidence	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	-		No bioaccumulation expected	
sulphonic acids, C14-17-sec-alkane,	No data available		No bioaccumulation expected	

Good Sense Vert Conc

sodium salts				
2-tert-butylcyclohexyl acetate	No data available			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available			
alpha-hexylcinnamaldehyde	No data available			
allyl heptanoate	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				
2-tert-butylcyclohexyl acetate	No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available				
alpha-hexylcinnamaldehyde	No data available				
allyl heptanoate	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				
2-tert-butylcyclohexyl acetate	No data available				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	No data available				
alpha-hexylcinnamaldehyde	No data available				
allyl heptanoate	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport informationLand transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

Good Sense Vert Conc

- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: A3S5-K0D4-H007-JH1C

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, anionic surfactants 5 - 15 %
Hexyl Cinnamal, Phenoxyethanol, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS6132

Version: 06.0

Revision: 2019-07-23

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 7, 8, 9, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H331 - Toxic if inhaled.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet